

5/9/2018

Print



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	
PO039632	ACI001-VC	8	1	Net 30	M303B1.000X1.000	M303B1.000 X 1.000 : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft				12	5/11/2018	13		S069789	Stock	5/9/2018	\$ 39.10 / ft	0		
		14			M304S16GA	304/316 Sheet .063 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf				160		160		S069790	Stock	5/9/2018	\$ 6.51 / sf	0		
Total:										172		173								

Plex 5/9/2018 12:57 PM Dart,Dubois,Pascal



Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO039632**

**Supplier:** ACI001-VC  
Acier Ouellette Inc.  
935 Boul. Du Havre  
Valleyfield  
QC  
J6S 5L1 Canada  
Phone: 800 667 4248  
Fax: 450 377 5696

**PO No:** PO039632

**PO Date:** 4/18/18

**Due Date:** 4/20/18

**Purchase Order**

**Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**E-MAILED**  
APR 18 2018

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pymt Terms:** Net 30

**Freight Terms:**

**Special Comments:** quote: SOU0098788

## **Items**

Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M6061T6S.625		6061-T6 .625 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	4/20/18	16 sf	0 sf	16 sf	\$34.98/sf	\$559.68
2	M6061T6S.250		6061T6 Sheet .250 : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	4/20/18	32 sf	0 sf	32 sf	\$12.295625/sf	\$393.46
3	M1018S.375		M1018S.375 : AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W NO SCALE ON SHEET MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULIMATE TENSILE STRENGTH= 42KSI COLD ROLLED receive sf	Firmed	4/20/18	16 sf	0 sf	16 sf	\$13.8275/sf	\$221.24

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4	M6061T6R1.000		Round Bar 1.00" : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive ft	Firmed	4/20/18	40 ft	0 ft	40 ft	\$2.7375/ft	\$109.50
5	M4140H-R1.250		4140 Round Bar 1.250 : AISI 4140H ROUND BAR PER AISI4140OR ASTM A304-02/-A-434-BC/-A193-03-GRADE B7/-A29-03/-A322-91 OR UNS#-G41400 MINIMUM ULTIMATE TENSILE STRENGTH=100 KSI MINIMUM YIELD TENSILE STRENGTH=66KSI receive ft	Firmed	4/20/18	20 ft	0 ft	20 ft	\$6.921666/ft	\$138.43
Line Item Note NOTE CUT ROUND BAR IN HALF										
6	M6061T6S0.750X06.500		6061T6 Sheet 0.750 X 6.500 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	4/24/18	12 ft	0 ft	12 ft	\$30.3275/ft	\$363.93
7	M303R1.000		303 Round Bar 1.00 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	4/20/18	12 ft	0 ft	12 ft	\$8.4358333/ft	\$101.23
8	M303B1.000X1.000		M303B1.000 X 1.000 : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft	Firmed	5/2/18	12 ft	0 ft	12 ft	\$39.10/ft	\$469.20
9	M303R0.750		303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft	Firmed	4/20/18	12 ft	0 ft	12 ft	\$4.8508333/ft	\$58.21

Items										
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
10	M5052H32S.050		5052-H32 .050 Sheet : MATERIAL: 5052-H32 ALUMINUM SHEET AS PER QQ-A-250/8 OR AMS-QQ-A-250/8 OR AMS 4016 OR ASTM B209 receive sf	Firmed	4/24/18	40 sf	0 sf	40 sf	\$2.6275/sf	\$105.10
11	M5052H32S.080		5052-H32 .080 Sheet : MATERIAL: 5052-H32 ALUMINUM SHEET AS PER QQ-A-250/8 OR AMS-QQ-A-250/8 OR AMS 4016 OR ASTM B209 receive sf	Firmed	4/20/18	32 sf	0 sf	32 sf	\$4.175625/sf	\$133.62
12	M2024T3S.063		2024-T3 .063 Sheet : MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 receive sf	Firmed	4/25/18	144 sf	0 sf	144 sf	\$9.8660416/sf	\$1,420.71
13	M304B0.625X3.000		304 Bar .625 X 3.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	4/25/18	12 ft	0 ft	12 ft	\$36.745833/ft	\$440.95
14	M304S16GA		304/316 Sheet .063 : MATERIAL: AISI 304/316 SS SHEET ANNEALED AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 receive sf	Firmed	4/20/18	160 sf	0 sf	160 sf	\$6.508625/sf	\$1,041.38
Grand Total:										\$5,556.64

## Order Notes

## Procurement Quality Clauses


A005 right of entry  
 A012 chemical and physical test report  
 A016 personnel qualification  
 A017 raw material identification (as applicable)  
 A026 certification of material conformance  
 A041 quality management system  
 A042 dart notification by supplier  
 A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Plex 4/18/18 7:40 AM dart.lavoie.chantal



# DELIVERY - CLIENT

Copy C000084686

**ACIER OUELLETTE INC.**  
935, Boul. du Hâvre  
Salaberry de Valleyfield (Québec) J6S 5L1  
Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248  
Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

**Billed to**  
DART AEROSPACE LTD  
1270, ABERDEEN ST.  
HAWKESBURY, Ontario, K6A 1K7

**Shipped to**  
Att: CHANTAL LAVOIE Tél.: 613-632-5200  
**Delivery Route** 5

**Customer N°** CLI0001056  
**Date** 2018/04/18  
**Delivery date** 2018/04/27  
**Your order N°** PO039632  
**Processed by** Denis Quenneville  
**Salesman**  
**Carrier** OUELLETTE VALLEYFIELD  
**Credit Terme** Net 30 Days  
**Page** 1

Instruction	Product Description	Weight	Qty	U/M	PCS NB			Internal Use Only				
					CMD	EXP	B/O	IN	I	S	C	OUT
1	SQUARE SS 1 SS303 NS CSS-1303 9512 1* ac15457-JG-2018/05/02 LINE 8 HEAT: 274686	40.80	12.00	PL_\$CLB		12'9"		12'9"				MAY 09 2018 DAS 11 9-89
2	SHEET SS 16G-SS304-2B (4 X 8) FESS-16G483042B 3419 5 X 4' X 8' LINE 14 transit st-jerome HEAT: 4841	420.00	160.00	PI2_\$CLB				16'8"12				MAY 09 2018 DAS 11 9-89
3	PALETTE 7573 PALETTE		1.00	UN_\$UN								

**Total Weight (Lbs):** 460.80 **NIR:** R-109516-6

**Conditions:**  
All sold and delivered materials remain the property of "Acier Ouellette Inc." until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc." is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc." to the client. The buyer hereby accepts to respect the following conditions: Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made within five (5) days with this document enclosed. Any merchandise that has been damaged, cut or modified cannot be returned. All goods returned must be with our authorization and are subject to a 25% restocking charge.

Prepared By: P.C.	Verified By: SV	Delivered By: Vlt	Time	Y	M	D
				1	8	0
Customer's Signature				Date		

**Total (\$CAD)**

84684  
**CERTIFICATE OF TEST**  
**CERTIFICAT D'ESSAIS**

# 1545 + N

Page 01 of 01

Certification Date  
2-MAY-2018

*Dart*  
CUSTOMER ORDER NUMBER  
NUMÉRO DE COMMANDE DU CLIENT

AC00015457

Invoice Number  
T378922

PART NUMBER/NUMÉRO DE PIÈCE

510850

**SOLD TO:** ACIER OUELLETTE INC. **SHIP TO:** ACIER OUELLETTE INC.  
**VENDU À:** DIVISION SALABERRY DE VALLEYFIELD **EXPÉDIT À:** DIVISION SALABERRY DE VALLEYFIELD  
935, BOUL. DU HAVRE 935, BOUL. DU HAVRE  
SALABERRY-DE- VALLEYFIELD QC J6S 5L1 SALABERRY-DE- VALLEYFIE QC J6S

Description: 303 CD ANN BAR ASTM A582

Line Total: 44 LB

1 SQ X 12" R/H

HEAT: 274686

ITEM: 510850

Specifications:  
AMS 5640 TYPE 1 V  
ASTM A484 16

ASTM A582 12

QQ S 764 B

CHEMICAL ANALYSIS

C	MN	P	S	SI	CR	NI	MO
0.045	1.81	0.032	0.26	0.57	17.35	8.09	0.34
CU	CO	N					
0.5300	0.14	0.04					

RCPT: R442502

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION	YLD STR PSI	ULT TEN PSI	%ELONG IN 02 IN	%RED IN AREA	HARDNESS BHN
	69600.0	106000.0	45.6	63.6	221

MATERIAL IS FREE FROM MERCURY CONTAMINATION  
NO WELD REPAIR PERFORMED ON MATERIAL  
MACRO: OK

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. /Les informations ci-haut-mentionnées sont transcrites du certificat d'essais du manufacturier après vérification de l'état complet des spécifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a part of the description. /Par les présentes, nous certifions que le matériel couvert par ce rapport rencontre les spécifications décrites ci-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal statutes. /Les informations fausses, fictives ou frauduleuses en rapport avec le résultat des essais sont punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. /Par les présentes, nous certifions que le matériel couvert par ce rapport n'a pas été en contact avec le mercure pendant sa possession.

*Joanne Despres*

MANAGER QUALITY ASSURANCE  
GÉRANT DE L'ASSURANCE QUALITÉ





North American Stainless Canada Inc.  
740 Imperial Road North  
Quebec, ON N1K1Z3  
Canada

# METALLURGICAL TEST REPORT

6870 Highway 42 East  
Cheney, KY 41045-9615  
(502) 347-6000

Certificate: 379955 1 Mail To:

Ship To:

Date: 2/08/2018 Page: 1

Customer: 007036 510

Steel: 304

Finish: 2B

Your Order: 791829

NAS Order: PN 0083697 09

## PRODUCT DESCRIPTION:

STAINLESS STEEL COIL, C.R. ANNEALED & PICKLED; UNS 30400  
ASTM A240/15, A480/16, A666/15; ASME SA240/15, SA480/15, SA666/15  
CHEM ONLY ON FOLLOWING ASTM: A276/17, A479/17, A484/16, A312/16  
CHEM ONLY ON FOLLOWING ASME: SA312/13, SA479/13  
AMS 55137 XMRK; MIL-S-5059D AMEND3 (X CROWN MEAS)  
NACE MR0175/ISO 15156-3:2009 A, MR0103/07, QCS766D-A X MAG PERM  
MIN. SOLUTION ANNEAL TEMP 1900F, WATER QUENCHED

## REMARKS:

Mat'l is Free of Mercury Contamination. No weld repairs.  
EN 10204:2004 3.1; ROHS 1 & 2 Compliant  
Material is Free of Radioactive Contamination  
Steel Making Process: EAF, AOD, & Cont. Casting  
Product Mfg. by a Quality Mgt. Sys. in Conf. w/ISO 9001  
\*Melted & Manufactured in the USA; Mat'l is DPAAS Compliant  
\*Melted & Manufactured in the USA; Mat'l is DPAAS Compliant

Product Id	Coil #	Skid #	Thickness	Width	Weight	Length	Mark	Pieces	Commodity Code
05484L B	05484L B		.0600	48.0000	18,750	COIL	15	1	160009453

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)									
Lab Accreditation Bureau, ISO/IEC 17025, Certificate# I2323									
Chemical Analysis per ASTM A751/14a									
HEAT	CM	C %	CR %	CU %	MN %	MO %	N %	NI %	P %
484L	US	.0597	18.2925	.4375	1.8335	.3190	.0679	8.0705	.0330
									S %
									.0011
									SI %
									.2120

## MECHANICAL PROPERTIES

Product Id#	Coil #	1 d	UTS	20C	.2% YS	20C ELONG	% Hard	Tail
		c x	KSI		KSI	%-2"	RB	Hard
05484L B	05484L B	F T	95.34	45.75	54.44	85.00	84.00	

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical  
Dept. Mgr.

KRIS LARK

2/08/2018

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M3045166A  
 DATE: MAY 09 2018

PO / BATCH NO.: 039632/3068790

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 160<sup>sf</sup>  
 QUANTITY INSPECTED: 160<sup>sf</sup>  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 16 GA  
 THICKNESS RECEIVED: 16 GA  
 SHEET SIZE ORDERED: 4x8  
 SHEET SIZE RECEIVED: 4x8

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	(Y)	N	<u>Actual A240</u>
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT REF # TO LINK CERT	(Y)	N	<u>Heat # 484/L</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>DAS</u> <u>11</u>		SIGNED OFF BY: _____	
DATE: <u>9-89</u> <u>MAY 09 2018</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: AISI 304/316 SS SHEET  
ANNEALED

SPECIFICATION:

MIL-S-5059  
OR AMS 5513 (304)  
OR AMS 5524 (316)  
OR ASTM A240  
OR ASME SA240

FINISH:

DART M-NUMBER

IDENTIFIER  
1P  
2D  
3P  
4P  
6P  
7P  
8P

PART NUMBER: M304S TT GA #P  
GA

WHERE "TT" = GAUGE THICKNESS  
WHERE "P" = FINISH IDENTIFIER

EG. 16 GAUGE SS SHEET 2B FINISH = M304S16GA  
EG. 16 GAUGE SS SHEET No. 4 POLISHED = M304S16GA4P

GAUGE THICKNESS REFERENCE:

GAUGE	NOM. THICK. (IN)	THICKNESS RANGE (IN)
26	0.01875	0.0178 - 0.019
25	0.021675	0.0199 - 0.023
24	0.025	0.024 - 0.026
23	0.028125	0.027 - 0.029
22	0.03125	0.030 - 0.032
21	0.034375	0.033 - 0.035
20	0.0375	0.036 - 0.040
19	0.04375	0.041 - 0.046
18	0.050	0.047 - 0.052
17	0.05625	0.053 - 0.058
16	0.0625	0.059 - 0.065
15	0.0703125	0.066 - 0.072
14	0.078125	0.073 - 0.083
13	0.09375	0.084 - 0.098
12	0.109375	0.099 - 0.114
11	0.125	0.115 - 0.130
10	0.140625	0.131 - 0.145
9	0.15625	0.146 - 0.160
8	0.171875	0.161 - 0.176
7	0.1875	0.182 - 0.194
6	0.2031	0.194 - 0.212
5	0.2188	0.201 - 0.228
4	0.2344	0.225 - 0.243
3	0.2500	0.238 - 0.262
2	0.2656	0.254 - 0.278
1	0.2813	0.269 - 0.293
0	0.3125	0.301 - 0.325

RELEASED  
2015 FEB 04  
ECB 15-322

D	ADDED GAUGES 0-7.	AJS	15.01.06
C	DEFINED FINISH OPTION (ZN CP) AND EXAMPLE OF MATERIAL FIN WITH FINISH OTHER THAN 2B (ZN BS).	MB	12.09.20
B	REFORMAT DWG. ADD ASTM/ASME SPECS (ZN D8-1), ADD GAUGE REF (C8-1), REF PAR 08-020A	CP	09.06.01
A	NEW ISSUE	DS	01.09.24
REV.	DESCRIPTION	BY	DATE
DESIGN	DS		
DRAWN	AJS		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	15.01.06		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M304S			
REV. D SHEET 1 OF 1			
TITLE 304/316 SS SHEET			
SCALE NTS			
COPYRIGHT © 2001 BY DART AEROSPACE LTD.			
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. AND IS NOT TO BE REPRODUCED OR COPIED OR COMMERCE TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303B1.000X1.000

PO / BATCH NO.: 039632/5069789

DATE: MAY 09 2018

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 2.9' (13')  
 QUANTITY INSPECTED: 13  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.000  
 THICKNESS RECEIVED: 1.000  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORROSION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	<u>A57m A582</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
PHOTO REQUIRED	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	<u>Heat # 274686</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

<b>QC 18 INSPECTION</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: <u>DAS 11</u> DATE: <u>9-89 MAY 09 2018</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**SPECIFICATION CONTROL DRAWING**

PURCHASE MATERIAL: AISI 303 SS BAR  
(NOTE: AISI 304/316 NOT ACCEPTABLE)

SPECIFICATION:

ASTM A582

PART NUMBER:

M303BTTT X WWW WWW  
THICK WIDTH

WHERE "T TTT" = THICKNESS IN INCHES  
AND "WWW WWW" = WIDTH IN INCHES

EG. 0.5" x 3.0" BAR = M303B0.500X03.000

**RELEASED**  
2010-02-02  
NPL

B	REFORMAT DWG. ADD SPECS (ZN D8-1), REF PAR 08-020A	CP	10.01.05
A	NEW ISSUE	DS	02.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.01.05		
<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M303B			
SHEET 1 OF 1			
TITLE 303 BAR			
SCALE NTS			
COPYRIGHT © 2002 BY DART AEROSPACE LTD			
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSES OTHER THAN THAT FOR WHICH IT WAS SPECIFICALLY PREPARED WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.			